L Number	Hits	Search Text	DB	Time stamp
1	1966	editor and display and window and "data structure"	USPAT;	2003/04/04 12:59
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
2	42	(editor and display and window and "data structure") and	USPAT;	2003/04/04 13:00
-		"referential integrity"	ЕРО; ЛРО;	2003/04/04 13:00
		Total and gray	DERWENT;	
			IBM_TDB	
3	15	((editor and display and window and "data structure") and	USPAT;	2003/04/04 13:04
		"referential integrity") and close and copy and rename	EPO; JPO;	2003/04/04 13.04
		reservation integrity y and cross and copy and remaine	DERWENT;	
			IBM TDB	
4	27	((editor and display and window and "data structure") and	USPAT;	2003/04/04 13:09
	-	"referential integrity") not (((editor and display and window and	EPO; JPO;	2003/04/04 13.09
		"data structure") and "referential integrity") and close and copy and		
		rename)	DERWENT;	
8	10	1 '	IBM_TDB	2002/04/04 12:14
	10	"referential integrity") not (((editor and display and window and	USPAT;	2003/04/04 13:14
		"data structure") and "referential integrity") and close and copy and	EPO; JPO;	
		rename)) and name \$2) and manipulation) and close and copy and	DERWENT;	
		rename)) and nam\$3) and manipulation) and transact\$4) and cop\$3 and edit\$3	IBM_TDB	
7	11		TIODAT	2002/04/04 12 11
,	11	"referential integrity") not (((editor and display and window and	USPAT;	2003/04/04 13:14
		"dota atmature") and "referential intensity" and the state of the sta	EPO; JPO;	
		"data structure") and "referential integrity") and close and copy and	DERWENT;	
6	17	rename)) and nam\$3) and manipulation) and transact\$4	IBM_TDB	2002/04/04/2
0	''	(((() tale () tale () tale () tale	USPAT;	2003/04/04 13:28
		"referential integrity") not (((editor and display and window and	ЕРО; ЈРО;	
		"data structure") and "referential integrity") and close and copy and rename)) and nam\$3) and manipulation	DERWENT;	
5	27		IBM_TDB	
	2'		USPAT;	2003/04/04 13:14
		"referential integrity") not (((editor and display and window and	EPO; JPO;	
		"data structure") and "referential integrity") and close and copy and rename)) and nam\$3	DERWENT;	
9	27		IBM_TDB	2002/04/04 4 4 50
,	21	"referential integrity") not (((editor and display and window and	USPAT;	2003/04/04 14:59
		"data structure") and "referential integrity") and close and copy and	ЕРО; ЛРО;	
			DERWENT;	
_	5005	rename)) and nam\$3) and (manipul\$4 or control\$3 or operat\$3)	IBM_TDB	**********
	לטטכ	editor and display and window	USPAT;	2003/04/04 12:58
			ЕРО; ЛРО;	
			DERWENT;	
_	184	(editor and display and window) and close and copy and rename	IBM_TDB	2002/04/04 12 02
İ	104	(curror and dispray and willdow) and close and copy and rename	USPAT;	2003/04/04 13:00
			ЕРО; ЛРО;	
			DERWENT;	
_	350	"referential integrity"	IBM_TDB	2002/04/04 55 55
-	330	referential integrity	USPAT;	2003/04/04 13:00
	.		EPO; JPO;	
	.		DERWENT;	
_	171	"referential integrity" and madical and "11114"	IBM_TDB	0000101100
-	1/1	"referential integrity" and modif\$4 and "data structure"	USPAT;	2003/04/03 14:56
			EPO; JPO;	
	İ		DERWENT;	. 1
_	5.1	(aditor and display and mindows at 1000 of 1000 to	IBM_TDB	
-	54	(editor and display and window) and "referential integrity"	USPAT;	2003/04/03 14:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	54	((editor and display and window) and "referential integrity") and object\$2	USPAT; US-PGPUB; EPO; JPO;	2003/04/03 14:58
			DERWENT;	
	15	(((editor and display and uninday)) and aloss and sany and	IBM_TDB	2003/04/03 14:59
-	13	(((editor and display and window) and close and copy and rename) and ("referential integrity" and modif\$4 and "data structure")) and	USPAT; US-PGPUB;	2003/04/03 14:39
		(((editor and display and window) and "referential integrity") and	ЕРО; ЛРО;	
		object\$2)	DERWENT,	
			IBM_TDB	
-	14	(((((editor and display and window) and close and copy and rename)	USPAT;	2003/04/03 15:29
		and ("referential integrity" and modif\$4 and "data structure")) and	EPO; JPO;	
		(((editor and display and window) and "referential integrity") and object\$2)) and function\$2) and HTML and XML	DERWENT; IBM_TDB	
_	1	(((editor and display and window) and "referential integrity") and	USPAT;	2003/04/03 15:16
		object\$2) and (media with remov\$4)	ЕРО; ЛРО;	
			DERWENT;	
	1.4		IBM_TDB	*************
-	14	((((((ditor and display and window) and close and copy and rename) and ("referential integrity" and modif\$4 and "data	USPAT; EPO; JPO;	2003/04/03 15:38
		structure") and (((editor and display and window) and "referential")	DERWENT;	
		integrity") and object\$2)) and function\$2) and HTML and XML)	IBM_TDB	
		and (exist\$3 near data)	_	
-	14	(((((((editor and display and window) and close and copy and	USPAT;	2003/04/03 15:26
		rename) and ("referential integrity" and modif\$4 and "data structure") and (((editor and display and window) and "referential")	EPO; JPO; DERWENT;	
		structure")) and (((editor and display and window) and "referential integrity") and object\$2)) and function\$2) and HTML and XML)	IBM TDB	
		and (exist\$3 near data)) and graphical		
-	15	((((editor and display and window) and close and copy and rename)	USPAT;	2003/04/03 15:27
		and ("referential integrity" and modif\$4 and "data structure")) and	US-PGPUB;	
		(((editor and display and window) and "referential integrity") and	ЕРО; ЛРО;	
		object\$2)) and function\$2	DERWENT; IBM TDB	
_	15	((editor and display and window) and close and copy and rename)	USPAT;	2003/04/03 15:29
		and ("referential integrity" and modif\$4 and "data structure")	ЕРО; ЛРО;	
			DERWENT;	
	39	(((aditor and display and window) and "hafanantial intensity") 4	IBM_TDB	2002/04/02 15 20
-	39	(((editor and display and window) and "referential integrity") and object\$2) not ((((editor and display and window) and close and copy	USPAT; EPO; JPO;	2003/04/03 15:29
		and rename) and ("referential integrity" and modif\$4 and "data	DERWENT;	
		structure")) and (((editor and display and window) and "referential	IBM_TDB	
		integrity") and object\$2))	_	
-	9	((((editor and display and window) and "referential integrity") and	USPAT;	2003/04/03 15:30
		object\$2) not ((((editor and display and window) and close and copy and rename) and ("referential integrity" and modif\$4 and "data	EPO; JPO; DERWENT;	
		structure")) and (((editor and display and window) and "referential	IBM_TDB	
		integrity") and object\$2))) and HTML		
-	6	(((editor and display and window) and close and copy and rename)	USPAT;	2003/04/04 11:09
		and cancel and "save as") and modif\$4 and "data structure"	EPO; JPO;	
			DERWENT; IBM TDB	
-	15	"referential integrity" and ((editor and display and window) and	USPAT;	2003/04/03 15:36
		close and copy and rename)	ЕРО; ЛРО;	1111332 1333
			DERWENT;	
	171	Heafarantial integrity and the formatial interview and the 100 to 1	IBM_TDB	2002/04/02 17 2:
-	171	"referential integrity" and ("referential integrity" and modif\$4 and "data structure")	USPAT; EPO; JPO;	2003/04/03 17:31
		and of with the	DERWENT;	
			IBM_TDB	
-	156	("referential integrity" and ("referential integrity" and modif\$4 and	USPĀT;	2003/04/03 15:37
		"data structure")) not ("referential integrity" and ((editor and display	EPO; JPO;	
		and window) and close and copy and rename))	DERWENT; IBM_TDB	
L	I		מתו_זאותי	

1 ((("referential integrity" and ("etics and display and window) and close and copy and rename)) and object\$2 and MML and eksit\$3 near data) 10 ("referential integrity" and (modifs and display and window) and close and copy and rename)) and object\$2 and MML and close and copy and rename)) and object\$2 and MML and close and copy and rename)) and object\$2 and MML and close and copy and rename) 11 (((cditor and display and window) and close and copy and modifs4 and "context ment" and cancel and "save as") and modifs4 and "data structure") and "referential integrity" and modifs4 and "data structure") and "referential file and cancel and "save as") and modifs4 and window) and close and copy and rename) USPAT. 12 (editor and display and window) and ((((ditor and display and window) and and (((ditor and display and window) and ((((ditor and display and window) and ((((ditor and display and window) and ((((abit) and display and window) and ((((abit) and display and window) and ((((abit) and display and window) and ((((abit) and display and window) and (((((abit) and display and window) and ((((((abit) and display and window) and (((((((abit) and display and window) and (((((((((((((((((((((((((((((((((((
and window) and close and copy and rename)) and object\$2 and the third that structure and the third that structure and cancel and "save as") and modif\$4 and and window) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure") and "context menu" 1 ((('editor and display and window) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure") and "data structure") and "data structure") and "data structure") and "context menu" 1 (editor and display and window) and ((((editor and display and window) and close and copy and rename)) and "context menu" 2 ((editor and display and window) and ((((editor and display and window) and close and copy and rename)) and "context menu" 3 (((editor and display and window) and (((editor and display and window) and close and copy and rename)) and "context menu" 5 (((editor and display and window) and "referential integrity" and (((editor and display and window) and close and copy and rename)) and "context menu" 5 (((editor and display and window) and "referential integrity") and (((editor and display and window) and ((editor and display and window) and (((editor and display and window) and ((editor and displ	-	1			2003/04/03 15:38
XML J and (exist\$3 near data) 7 (("referential integrity" and (reditor and display and window) and close and copy and rename)) and object\$2 and XML 1 ((((editor and display and window) and close and copy and rename)) and object\$2 and XML 2 (((editor and display and window) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure") and "context menu" 3 (("referential integrity" and ("referential integrity" and ((editor and display and window) and close and copy and rename)) and object\$4 and "data structure") inot ("referential integrity" and ((editor and display and window) and close and copy and rename)) and object\$4 and "data structure") inot ("referential integrity" and ((editor and display and window) and ("data structure") and "context menu") 4 ((editor and display and window) and ("referential integrity" and ((editor and display and window) and ("referential integrity" and ((editor and display and window) and "referential integrity") and object\$2) and "context menu" 4 ((editor and display and window) and "referential integrity") and object\$2) and "context menu" 5 ((editor and display and window) and "referential integrity") and object\$2) and "context menu" 6 ((editor and display and window) and "referential integrity") and object\$2) and "context menu" 6 ((editor and display and window) and ("data near integrity) 7 ((editor and display and window) and ("data near integrity) 8 ((editor and display and window) and ("data structures" or "data structure") and "efferential near integrity) 9 ((editor and display and window) and ("data structures" or "data structure") and "efferential near integrity) 9 ((editor and display and window) and ("data structures" or "data structure") and "efferential near integrity) and ("data structures" or "data structure") and "efferential near integrity) and ("data near structure) and editor and (referential near integrity)) and (("data near structure") and "efferential near integrity) and ("data structures" or "data structure") and "efferential near					
7 (("referential integrity" and ("referential integrity" and modish and "data structure") not ("referential integrity" and (editor and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure") and "context menu" 3 ("referential integrity" and ("referential integrity" and (editor and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure") and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure" and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure" and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure" and display and window) and close and copy and rename) and cancel and "save as") and modifs4 and "data structure" and display and window) and ("referential integrity" and ((editor and display and window) and "referential integrity" and ((editor and display and window) and "referential integrity" and object\$2) and "context menu" 4 ((editor and display and window) and "referential integrity" and object\$2) and "context menu" 5 (data near structure) ame editor same (referential near integrity) 6 (editor and display and window) and ("data near structure) and editor and (referential near integrity) 7 (editor and display and window) and ("data structures" or "data structure") and editor and display and window) and ("data structures" or "data structure") and editor and display and window) and ("data structures" or "data structure") and "referential integrity" 8 ((editor and display and window) and ("data structures" or "data structure") and "referential near integrity) 9 ((editor and display and window) and ("data structures" or "data structure") and "referential near integrity) 10 ((editor and display and window) and ("data structures" or "data structure") and "referential near integrity) 11 ((editor and display and window) and ("data					
"data structure")) not ("referential integrity" and (feditor and display and window) and close and copy and rename)) and object\$2 and XML 1 ((((editor and display and window)) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure") and "context menu" 3 (("referential integrity" and ("referential integrity" and modif\$4 and "data structure")) not ("referential integrity" and ((editor and display and window) and close and copy and rename)) and "context menu" 1 (editor and display and window) and ((((editor and display and window)) and close and copy and rename))) and "context menu" 1 ((editor and display and window) and ("((editor and display and window)) and close and copy and rename)) and "context menu" 2 ((editor and display and window) and ("referential integrity" and object\$2) and "context menu" 3 (((editor and display and window)) and ("referential integrity" and object\$2) and "context menu" 4 (((editor and display and window)) and ("referential integrity") and object\$2) and "context menu" 5 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" 6 (((editor and display and window) and ("referential integrity") and object\$2) and "context menu" 7 (((editor and display and window) and ("referential integrity") and "((editor and display and window) and ("data structure") and "(efferential near integrity) 8 ((editor and display and window) and ("data structure") and editor and (referential near integrity) 9 ((editor and display and window) and ("data structures" or "data structure") and "editor and (referential integrity") 1 ((editor and display and window) and ("data structures" or "data structure") and "referential integrity") 1 (((editor and display and window) and ("data structures" or "data structure") and "referential integrity") 2 (((editor and display and window) and ("data structures" or "data structure") and "referential integrity") 3 (((editor and display and window) and ("data structures" or "data structure") a	_	7			2003/04/03 18:04
and window) and close and copy and rename))) and object\$2 and LML I ((((cditor and display and window) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure") and window) and close and copy and rename)) and "context menu" I ((editor and display and window) and (((((editor and display and window) and close and copy and rename)) and "context menu" I ((editor and display and window) and ((((editor and display and window) and close and copy and rename)) and "context menu" I ((editor and display and window) and ("referential integrity" and (((editor and display and window) and close and copy and rename)) and "context menu" I (((editor and display and window) and ("referential integrity") and object\$2) and "context menu" I (((editor and display and window) and "referential integrity") and object\$2) and "context menu" I (((editor and display and window) and "referential integrity") and object\$2) and "context menu" I (((editor and display and window) and "referential integrity") and object\$2) and "context menu" I (((editor and display and window) and ("referential near integrity) I (((atta near structure) same editor same (referential near integrity) I (((atta and display and window) and (((atta near structure) and editor and (referential near integrity)) I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I ((((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I (((editor and display and window) and ("data structures" or "data structure") I					
XML 1 (((editor and display and window) and close and copy and rename) and cannel and "save as") and modif\$4 and "data structure") and "context menu" and window) and ("referential integrity" and ((editor and display and window) and close and copy and rename)) and window and display and window) and close and copy and rename)) and "context menu" bERWENT; BM TDB USPAT; and modif\$4 and "data structure") and "context menu" bERWENT; BM TDB USPAT; and modif\$4 and "data structure" and "context menu" bERWENT; BM TDB USPAT;					
and cancel and "save as") and modif\$4 and "data structure" and "context memu" (("referential integrity" and ("referential integrity" and modif\$4 and "data structure") in of "referential integrity" and modif\$4 and "data structure") in of "referential integrity" and modif\$4 and "data structure") in of "referential integrity" and (integrity" and modif\$4 and "data structure") in of "referential integrity" and display and window) and close and copy and rename)) and "context menu" in objects and modif\$4 and "data structure" and "context menu" in object\$2) and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in object\$2 and "context menu" in objec					
- 3 (("referential integrity" and ("referential integrity" and modif\$4 and "data structure") not ("referential integrity" and (ifotor and display and window) and close and copy and rename)) and "context menu" DERWENT, IBM, TDB USPAT, EPO, IPO, DERWENT, IBM, TDB US	-	1	((((editor and display and window) and close and copy and rename)	USPAT;	2003/04/04 10:22
Comparison of the comparison		1		ЕРО; ЈРО;	
"data structure") and window) and close and copy and rename))) and "context menu" 1 (editor and display and window) and (((((editor and display and window) and close and copy and rename))) and "context menu" 1 (editor and display and window) and (((((editor and display and window) and close and copy and rename)) and cancel and "save as") 1 ((editor and display and window) and ("referential integrity" and (((editor and display and window)) and ("referential integrity") and (((editor and display and window)) and "referential integrity") and object\$2) and "context menu" 2 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" 3 (((editor and display and window)) and ("referential integrity") and object\$2) and "context menu" 4 ((adta near structure)) same editor same (referential near integrity) 5 ((data near structure)) and editor and (referential near integrity) 6 ((editor and display and window)) and ((((editor and display and window))) and ((((editor and display and window))) 6 ((editor and display and window)) and ((((editor and display and window))) 7 (((editor and display and window)) and ((((editor and display and window))) 8 ((((editor and display and window))) and ((((editor and display and window))) and ((((editor and display and window))) 9 ((((editor and display and window))) and ((((editor and display and window))) and ((((editor and display and window))) and ((((editor and display and window))) and ((((editor and display and window)))) and ((((editor and display and window)))) and ((((editor and display and window))) and ((((editor and display and window)))) and ((((editor and display and window)))) and ((((editor and display and window))) and ((((editor and display and window)))) and ((((editor and display and window))) and (((editor and di]	"context menu"	DERWENT;	
"data structure") not ("referential integrity" and ((editor and display and window) and close and copy and rename)) and "context menu" 1 (editor and display and window) and (((((editor and display and window) and close and copy and rename)) and cancel and "save as") pand modif\$4 and "data structure") and "context menu") 1 (editor and display and window) and ("referential integrity" and (((editor and display and window) and close and copy and rename)) 2 (((editor and display and window) and ("referential integrity") and object\$2) and "context menu" 3 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" 4 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" 4 ((editor and display and window) and "referential near integrity) 5 ((data near structure) same editor same (referential near integrity) 6 ((editor and display and window) and ("referential near integrity) 7 ((editor and display and window) and ("data near structure) and editor and (referential near integrity) 8 ((editor and display and window) and ("data structures" or "data structure") 9 ((editor and display and window) and ("data structures" or "data structure") 10 ((editor and display and window) and ("data structures" or "data structure") 11 ((editor and display and window) and ("data structures" or "data structure") 12 ((editor and display and window) and ("data structures" or "data structure") 13 ((editor and display and window) and ("data structures" or "data structure") 14 ((editor and display and window) and ("data structures" or "data structure") 15 ((editor and display and window) and ("data structures" or "data structure") 16 ((editor and display and window) and ("data structures" or "data structure") 17 (((editor and display and window) and ("data structures" or "data structure") 18 ((editor and display and window) and ("data structures" or "data structure") 19 (((editor and display and window) and ("data structures" or "data structure")		1			
and window) and close and copy and rename))) and "context menu" [Mathematics of the companies of the compan	-	3			2003/04/03 17:58
1 (editor and display and window) and ((((((editor and display and window) and close and copy and rename) and cancel and "save as") DERWENT; EPO, PPO, DERWENT; BM, TDB USPAT, EPO, PPO, PPO, DERWENT; BM, TDB USPAT, EPO, PPO, PPO, PPO, PPO, PPO, PPO, PPO					
Ceditor and display and window) and ((((editor and display and window) and close and copy and rename) and cancel and "save as") and modif34 and 'data structure') and 'context menu") DERWENT; D			and window) and close and copy and rename))) and "context menu"		
window) and close and copy and rename) and cancel and "save as") and modif\$4 and "data structure" and "context menu") [Ceditor and display and window) and ("referential integrity" and ((editor and display and window) and close and copy and rename)) [Ceditor and display and window) and "referential integrity") and object\$2) and "context menu" [Ceditor and display and window) and "referential integrity") and object\$2) and "context menu" [Ceditor and display and window) and "referential integrity") and object\$2) and "context menu" [Ceditor and display and window) and (referential near integrity) [Ceditor and display and window) and (referential near integrity) [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity) [Ceditor and display and window) and ("data structures" or "data structures" or "data structure") and "referential integrity" [Ceditor and display and window) and ("data structures" or "data structure") and "referential integrity" [Ceditor and display and window) and ("data structures" or "data structure") and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" [Ceditor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential editor and (referential near integrity)) and "referential editor and (referential near integrity)) and "referential editor and display an					
and modif\$4 and "data structure") and "context menu") [RM TDB USPAT; EPO, JPO, DERWENT]; BM, TDB USPAT; EPO, JPO, DERWENT]; BM, TDB USPAT; EPO, JPO, DERWENT]; BM, TDB USPAT; EPO, JPO, DERWENT; EMD, TDB US	-	1			2003/04/03 17:57
Ceditor and display and window) and ("referential integrity" and ((editor and display and window) and close and copy and rename)) USPAT; EPO, IPO, DERWENT; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I					
15 (editor and display and window) and ("referential integrity" and ((editor and display and window) and close and copy and rename)) CERWENT; EPO, IPO, DERWENT; IBM_TDB USPAT; EPO, IPO, IPO, DERWENT; IBM_TDB USPAT; EPO, IPO, IPO, DERWENT; IBM_TDB USPAT; EPO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I			and modif\$4 and "data structure") and "context menu")		
((editor and display and window) and close and copy and rename)) 8 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" 1		1.5	(aditor and diamless and sain days) and (Haefarantial interact Hand		2002/04/02 17:57
S (((editor and display and window) and "referential integrity") and object\$2) and "context menu" - 35853 "data structures" or "data structure" - 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure) and editor and (referential near integrity)) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "(referential mear integrity)) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((reditor and display and window) and ("data structures" or "data structure") and "referential integrity" - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" - 15	-	13			2003/04/03 17:57
8 (((editor and display and window) and "referential integrity") and object\$2) and "context menu" - 35853 "data structures" or "data structure" - 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 59 (editor and display and window) and ((data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ("data structures" or "data structure") - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential near integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures" or "data structure) and editor and (referential near integrity)) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures" or "data structure) and editor and (referential near integrity))) and "(editor and display and window) and ("data structures" or "data structure) and editor and (referential near integrity))) and "(editor and display and window) and ("data structures" or "data structure) and editor and (referential near integrity)) and "referential integrity" - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity)) and "referential integrity" - 2003/04/03 18:04			((editor and display and window) and close and copy and rename))		
Solution Context menu Context					
object\$2) and "context menu" EPO, IPO, DERWENT, IBM_TDB USPAT; EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, IBM_TDB USPAT, IBM_TDB USPAT, IBM_TDB USPA		Q	(((aditor and display and window) and "referential integrity") and	_	2002/04/02 19:00
- 35853 "data structures" or "data structure" - 0 (data near structure) same editor same (referential near integrity) - 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity)))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and ("data structures") or "data structure") and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity)))) and (((editor and display and window) and ("data structure")) and "referential lear integrity"))) and ((editor and display and window) and ((editor and display and w	-				2003/04/03 18:00
- 35853 "data structures" or "data structure" - 0 (data near structure) same editor same (referential near integrity) - 0 (data near structure) same editor and (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure") and editor and (referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity))) and ((editor and display and window) and ("data structure")) and "referential near integrity))) and ((editor and display and window) and ("data structure")) and "referential near			objects2) and context ment		
- 35853 "data structures" or "data structure" - 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data near structure) and editor and (referential near integrity))) - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 14 (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 14 (((editor and display and window) and ((data near structure)) and "referential integrity") - 15 (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (((editor and display and window)) and (_	
- 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential integrity") - 44 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential integrity") - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential uspart," IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPAT, EPO, IPO, DERWENT, IBM_TDB USPA	_	35853	"data structures" or "data structure"		2003/04/03 18:01
- 0 (data near structure) same editor same (referential near integrity) - 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity") - 42 ((editor and display and window) and ((data near structure) and editor and display and window) and ("data structure")) and "referential near integrity") - 42 ((editor and display and window) and ((data near structure) and editor and display and window) and ("data structure")) and "referential near integrity") - 14 ((editor and display and window) and ((data near structure) and editor and display and window) and ("data structure") and "referential near integrity") - 14 ((editor and display and window) and ((data near structure) and editor and display and window) and ("data structure") and "referential near integrity") - 15003/04/03 18:03 - 2003/04/03 18:03 - 2003/04/03 18:03 - 2003/04/03 18:04		55055			2005/0-7/05 10:01
- 1966 (editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((editor and display and window) and ("data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity") - 44 (editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity") - 45 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((editor and display and window) and ((data near structure)) and "referential near integrity)) and "referential near integrity)) and "referential near integrity)) and "referential near integrity") DERWENT; BM_TDB USPAT; 2003/04/03 18:05					
- 1966 (editor and display and window) and ("data structures" or "data structure") and "referential integrity" - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ("data structure")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential EPO, IPO, DERWENT; IBM_TDB USPAT; EPO; IPO, DERWENT; IBM_TDB USPAT; IPO, DERWENT; IPO,					
- 59 (data near structure) and editor and (referential near integrity) - 50 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ("data structures" or "data structure")) - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential near integrity") - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential near integrity") - 150 (editor and display and window) and ((data near structure) and editor and (referential near integrity))) and "referential near integrity") - 160 (editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and "EPO, PO, DERWENT," EPO, PO, DE	-	0	(data near structure) same editor same (referential near integrity)		2003/04/03 18:03
- S9 (data near structure) and editor and (referential near integrity) - S0 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure)) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure)) and "referential integrity") - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure))) and "referential integrity") - 14 ((editor and display and window) and ((data near structure)) and editor and (referential near integrity))) and (((editor and display and window) and ((editor and display and window) and (editor and					
- 1966 (editor and display and window) and ("data structures" or "data structure") and editor and display and window) and ("data structures" or "data structure") and editor and display and window) and ("data structures" or "data structure") and editor and display and window) and ("data structures" or "data structure") and "referential integrity" - 42 ((editor and display and window) and ("data structures" or "data structure") and editor and (referential near integrity)) and ((editor and display and window) and ("data structure") and editor and (referential near integrity)) and ((editor and display and window) and ("data structure") and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((bata near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and ((bata near structure)) and "referential near integrity)) and ((editor and display and window) and (mata structures") or "data structure") and "referential near integrity)) and ((editor and display and window) and (mata structures") or "data structure") and "referential near integrity)) and (mata structure) and editor and display and window) and (mata structure) and editor and display and window) and (mata structu					
- 1966 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure)) and "referential integrity") - 14 ((editor and display and window) and ((data near structure)) and "referential editor and (referential near integrity)))) and (((editor and display and window) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and "referential editor and (referential near integrity))) and ((editor and display and window)) and ((IBM_TDB	
- 1966 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((data near structure)) and "referential integrity") - 14 ((editor and display and window) and ((data near structure)) and "referential integrity") - 14 ((editor and display and window) and ((data near structure)) and "referential integrity") - 150 ((editor and display and window)) and ((data near structure)) and "referential integrity") - 16 ((editor and display and window)) and ((data near structure)) and "referential integrity") - 17 ((editor and display and window)) and	-	59	(data near structure) and editor and (referential near integrity)	USPAT;	2003/04/03 18:03
- 1966 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 14 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential uspant; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; D				ЕРО; ЈРО;	
- 1966 (editor and display and window) and ((data near structure) and editor and (referential near integrity)) - 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((bata near structure) and editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ((data near structure)) and "referential editor and (referential near integrity))) and ((editor and display and window) and ((data near structure)) and "referential editor and (referential near integrity))) and ((editor and display and window) and ((editor and display and window) and ("data structures")) and "referential editor and (referential near integrity))) and ((editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures") and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures")) and "referential editor and display and window) and ("data structures") and "referential editor and display and window) and ("data structures") and "referential editor an					
editor and (referential near integrity)) 1966 (editor and display and window) and ("data structures" or "data structure") 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure)) and "referential integrity") 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((data near structure))) and "referential editor and (referential near integrity))) and (((editor and display and window)) and ((editor and display and window)) an				IBM_TDB	
- 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") - 14 ((editor and display and window) and ((data near structure) and editor and ("data structures" or "data structure")) and "referential integrity") - 14 ((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure)) and "referential uspart; EPO; JPO; DERWENT;	-	50			2003/04/03 18:03
- 1966 (editor and display and window) and ("data structures" or "data structure") - 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and window) and ("data structures")) and "referential integrity") - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data structure))) and "referential DERWENT; EPO; JPO; DOSAT; EPO; JPO; DERWENT;			editor and (referential near integrity))		
- 1966 (editor and display and window) and ("data structures" or "data structure") 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential near integrity") 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure)) and "referential near integrity))) and ((editor and display and window) and ((data near structure)) and "referential near integrity))) and ((editor and display and window) and ("data structures")) and "referential near integrity))) and "referential near integrity))) and "referential near integrity)) nd "referential near integrity) and "referential near integrity) and "referential					
structure") 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ("data structure")) and "referential integrity") 42 ((editor and display and window) and ((data near structure) and window) and ("data structures" or "data structure")) and "referential integrity") 43 ((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure) and editor and (referential near integrity))) and ((editor and display and window) and ("data structures" or "data structure")) and "referential" 44 (EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB US		1066	(editor and display and window) and ("data atmostrate" on "-1-1-		2002/04/02 10:04
- 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" - 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ((data near structure))) and "referential integrity") - 42 ((editor and display and window) and ((data near structure)) and "EPO; JPO; DERWENT; INTEGRATED INTEGRAT	-	1900			2003/04/03 18:04
- 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") 43 ((editor and display and window) and ((data near structure) and window) and ("data structures" or "data structure")) and "referential integrity") 44 ((editor and display and window) and ((data near structure) and editor and display and window) and ((data near structure)) and "referential display and window) and ((editor and display and window) and ("data structures" or "data structure")) and "referential DERWENT;			Structure)		
- 42 ((editor and display and window) and ("data structures" or "data structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structure")) and "referential integrity") 43 ((editor and display and window) and ((data near structure) and window) and ("data structures" or "data structure")) and "referential uspandow) and ("data structures") 44 ((editor and display and window) and ((data near structure) and editor and display and window) and ("data structures")) and "referential uspandow) and ("data structures") and "refer					
structure")) and "referential integrity" 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential integrity") 43 ((editor and display and window) and ((data near structure)) and "referential integrity") 44 ((editor and display and window) and ((data near structure)) and "referential uspand" below the properties of the propert	_	42	((editor and display and window) and ("data structures" or "data		2003/04/03 18:04
- 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential integrity") - 14 (((editor and display and window) and ((data near structure)) and editor and (referential near integrity))) and (((editor and display and window)) and ("data structures")) and "referential" DERWENT;		'-		•	2000/04/05 10:04
- 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") - 14 (((editor and display and window) and ((data near structure) and editor and display and window) and ((editor and display and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential" DERWENT;			- //		
- 42 ((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures" or "data structure")) and "referential near integrity") - 14 (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential DERWENT; DERWENT; DERWENT;					
editor and (referential near integrity))) and (((editor and display and window) and ("data structures" or "data structure")) and "referential integrity") 14 (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential DERWENT; DERWENT;	-	42	((editor and display and window) and ((data near structure) and		2003/04/03 18:04
window) and ("data structures" or "data structure")) and "referential integrity") 14 (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and editor and ("data structures"))) and "referential DERWENT; DERWENT;			editor and (referential near integrity))) and (((editor and display and		
integrity") - (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and editor and ("data structure"))) and "referential" (DERWENT;					
- 14 (((editor and display and window) and ((data near structure) and editor and (referential near integrity))) and (((editor and display and window) and ("data structures")) and "referential" DERWENT;			integrity")	IBM_TDB	
window) and ("data structures" or "data structure")) and "referential DERWENT;	-	14		USPAT;	2003/04/03 18:05
integrity")) and object\$2 and XMI. IRM_TDR				•	
			integrity")) and object\$2 and XML	IBM_TDB	

•	28	(((editor and display and window) and ((data near structure) and	USPAT;	2003/04/03 18:09
		editor and (referential near integrity))) and (((editor and display and	ЕРО; ЛО;	
		window) and ("data structures" or "data structure")) and "referential	DERWENT;	
		integrity")) not ((((editor and display and window) and ((data near	IBM TDB	
		structure) and editor and (referential near integrity))) and (((editor	_	
		and display and window) and ("data structures" or "data structure"))		
		and "referential integrity")) and object\$2 and XML)	ļ	
-	1	((editor and display and window) and close and copy and rename)	USPAT;	2003/04/03 18:10
		and ((((editor and display and window) and ((data near structure)	ЕРО; ЛРО;	
		and editor and (referential near integrity))) and (((editor and display	DERWENT;	
		and window) and ("data structures" or "data structure")) and	IBM_TDB	
		"referential integrity")) not ((((editor and display and window) and		
		((data near structure) and editor and (referential near integrity)))		
		and (((editor and display and window) and ("data structures" or		
	1	"data structure")) and "referential integrity")) and object\$2 and		
	1 ,,	XML))	TYOD A TO	
-	15	((comment of the comment)	USPAT;	2003/04/03 18:10
		and (((editor and display and window) and ("data structures" or	EPO; JPO;	
		"data structure")) and "referential integrity")	DERWENT;	
	1	////aditan and display and windows and alone and a control of the	IBM_TDB	2002/04/04 10 24
-	1	((((editor and display and window) and close and copy and rename)	USPAT;	2003/04/04 10:24
		and (cancel\$3 or discard\$3) and "save as") and modif\$4 and "data	ЕРО; ЛРО;	
		structure") and "context menu"	DERWENT;	
	8	((editor and display and window) and close and copy and rename)	IBM_TDB USPAT;	2003/04/04 10:46
_	•	and cancel and "save as"	EPO; JPO;	2003/04/04 10:40
		and outlook and bave as	DERWENT;	
			IBM TDB	
	l	I.,,	10141 100	